

2019 CITY OF MESA APPROVED CONCRETE MIXES

Product Code	MAG Class	Strength (psi)	Slump (Inches)	Flyash
ARIZONA MATERIALS				
12011	PHCLSM	½ Sack Slurry	7 ± 2	N
12012	PHCLSM	1 Sack Slurry	7 ± 2	N
12004	C	2000	4 ± 1	Y
12504	B	2500	4 ± 1	Y
12506	B	2500	1.5" ± 1"	Y
13004	A	3000	4 ± 1	Y
13008	A	3000	0-2"	Y
14004	AA	4000	4 ± 1	Y
14006	AA	4000	0-3"	Y
ARIZONA METRO MIX				
55108	CLSM	½ Sack Slurry	3 – 8	N
105108	CLSM	1 Sack Slurry	6 ± 2	N
201113	C	2000	4 ± 1	Y
201131	C	2000	3 ± 1	Y
251112	B	2500	4 ± 1	Y
251132	B	2500	2 ± 1	Y
251122	B	2500	6 – 9	Y
301111	A	3000	4 ± 1	Y
301121	A	3000	7 ± 1	Y
301131	A	3000	1 – 3.5	Y
302111	A	3000	3 ± 1	Y
302121	A	3000	6 ± 1	Y
401110	AA	4000	4 ± 1	Y
401120	AA	4000	4 ± 1	Y
401120A	AA	4000	4 ± 1	Y
401130	AA	4000	4 ± 1	Y
CALPORTLAND				
PHCLSM	CLSM	½ Sack Slurry	6 ± 1	N
S10157S1	CLSM	1 Sack Slurry	-	N
P2015C01	C	2000	4 ± 1	N
P2025C01	C	2000	-	Y
P2515BF1	B	2500	7 ± 1	N
P2525B01	B	2500	4 ± 1	Y
P2525BF1	B	2500	7 ± 1	Y
P2525MB1	B	2500	0-3	Y
P3015AF1	A	3000	7 ± 1	N
P3025A01	A	3000	4 ± 1	Y
P3025AF1	A	3000	7 ± 1	Y
P3025MA1	A	3000	0-2	Y
P4015AA1	AA	4000	4 ± 1	N
P4015AAF	AA	4000	7 ± 1	N
P4015MAA	AA	4000	0-2	N

P40247F1	AA	4000	7 ± 1	Y
P4025AA1	AA	4000	4 ± 1	Y
P4025AA5	AA	4000	4 ± 1	Y
P4025AAF	AA	4000	7 ± 1	Y
P4025AF5	AA	4000	7 ± 1	Y
P4025MAA	AA	4000	0-3	Y
P2015C01	C	2000	4 ± 1	N
P2515B01	B	2500	4 ± 1	N
P3015A01	A	3000	4 ± 1	N
P4015AA1	AA	4000	4 ± 1	N

CEMEX

1332797	CLSM	½ Sack Slurry	7.5 ± 1.5	N
1332774	CLSM	1 Sack Slurry	7 ± 1	N
1377687	AA	4000	4 ± 1	N
1377688	AA	4000	6.5 ± 1.5	N
1556313	AA	4000	4 ± 1	Y
1556315	AA	4000	6.5 ± 1.5	Y
1555658	AA	4000	2 ± 1	Y
1385442	A	3000	4 ± 1	N
1341247	A	3000	6.5 ± 1.5	N
1555049	A	3000	4 ± 1	Y
1555050	A	3000	6.5 ± 1.5	Y
1555657	A	3000	2 ± 1	Y
1554955	B	2500	4 ± 1	Y
1555047	B	2500	6.5 ± 1.5	Y
1555656	B	2500	2 ± 1	Y
1555624	C	2000	4 ± 1	Y
1555627	C	2000	6.5 ± 1.5	Y

Core Readymix

PHCLSM	CLSM	½ Sack Slurry	6 ± 1	N
2015C01P	C	2000	4 ± 1	N
2025C01P	C	2000	4 ± 1	Y
2515B01P	B	2500	4 ± 1	N
2515BM1P	B	2500	2 ± 1	N
2525B01P	B	2500	4 ± 1	Y
2525BM1P	B	2500	2 ± 1	Y
3015A01P	A	3000	4 ± 1	N
3015MA1P	A	3000	4 ± 1	N
3025A01P	A	3000	4 ± 1	Y
3025MA1P	A	3000	2 ± 1	Y
3025AF1P	A	3000	6 ± 1	Y
4015AA1P	AA	4000	4 ± 1	N
401MAA1P	AA	4000	2 ± 1	N
4025AA1P	AA	4000	4 ± 1	Y
402MAA1P	AA	4000	2 ± 1	Y

Product Code	MAG Class	Strength (psi)	Slump (Inches)	Flyash
DESERT READY MIX				
S500501	CLSM	½ Sack Slurry	4 ± 1	N
S501001	CLSM	1 Sack Slurry	4 ± 1	N
A202000	C	2000	4 ± 1	N
A202001	C	2000	4 ± 1	Y
F202010	C	2000	6 ± 1	N
F202011	C	2000	6 ± 1	N
A202500	B	2500	4 ± 1	N
A202501	B	2500	4 ± 1	Y
A202502	B	2500	2 ± 1	Y
F202510	B	2500	6 ± 1	N
F202511	B	2500	6 ± 1	Y
A053032	A	3000	4 ± 1	Y
A053035	A	3000	4 ± 1	N
A103030	A	3000	4 ± 1	N
A103031	A	3000	4 ± 1	Y
A203000	A	3000	4 ± 1	N
A203001	A	3000	4 ± 1	Y
A203002	A	3000	2 ± 1	Y
A203031	A	3000	4 ± 1	Y
F203010	A	3000	6 ± 1	N
F203011	A	3000	6 ± 1	N
A054031	AA	4000	4 ± 1	Y
A104030	AA	4000	4 ± 1	N
A204000	AA	4000	4 ± 1	N
A204001	AA	4000	4 ± 1	Y
A204002	AA	4000	2 ± 1	Y
F204010	AA	4000	6 ± 1	N
F204011	AA	4000	6 ± 1	Y
F204031	AA	4000	4 ± 1	Y
HANSON				
PHCLSM	CLSM	½ Sack Slurry	5 - 8"	N
2203131	C	2000	2 - 5"	Y
2203134	C	2000	4-7"	Y
2253101	B	2500	2 - 5"	N
2253104	B	2500	4-7"	N
2253131	B	2500	3 - 5"	Y
2253134	B	2500	4 - 7"	Y
2253321	B	2500	3 - 5"	Y
2253324	B	2500	5-8"	Y
2254122	B	2500	0-3"	Y
2303101	A	3000	2-5"	N
2303104	A	3000	4-7"	N
2303131	A	3000	2-5"	Y
2303134	A	3000	4-7"	Y
2303141	A	3000	2-5"	Y

2303144	A	3000	4.5-7.5"	Y
2303334	A	3000	4-7"	Y
2303339	A	3000	4-7"	Y
2303431	A	3000	2-5"	Y
2304122	A	3000	0-3"	Y
2403101	AA	4000	2-5"	N
2403104	AA	4000	4.5-7.5"	N
2403131	AA	4000	2-5"	Y
2403134	AA	4000	4-7"	Y
2403141	AA	4000	2-5"	Y
2403144	AA	4000	4-7"	Y
2404122	AA	4000	0-3"	Y

ROCK SOLID

PHCLSM	CLSM	½ Sack Slurry	-	N
A1050	CLSM	½ Sack Slurry	-	N
A1100	CLSM	1 Sack Slurry	-	N
A2040	C	2000	4 ± 1	Y
A2540	B	2500	4 ± 1	Y
A2540P	B	2500	7 ± 1	Y
A2541	B	2500	4 ± 1	N
A2546	B	2500	2 ± 1	Y
A3040	A	3000	4 ± 1	Y
A3040P	A	3000	7 ± 1	Y
A3041	A	3000	4 ± 1	N
A3046	A	3000	2 ± 1	Y
A4040	AA	4000	4 ± 1	Y
A4040P	AA	4000	7 ± 1	Y
A4041	AA	4000	4 ± 1	N
A4046	AA	4000	2 ± 1	Y